



**NOTES:**

1. Refer to material data sheet for material specifications.

2. Arrow and **REO** text are laser engraved on OD. Arrow points toward Left Surface.



INDICATIONS IN ACCORDANCE WITH ISO 10110

LEFT SURFACE		MATERIAL SPECIFICATION	RIGHT SURFACE		
R	500 CC	Material	Fused Silica, Corning 7980, Class 0, Grade A, See Note 1	R	$\infty$
$\phi_e$	10	n	--	$\phi_e$	10
$\lambda$	--	v	--	$\lambda$	--
3/	3.0(0.2) at 632.8 nm	0/	--	3/	0.4(0.2) at 632.8 nm
4/	30'	1/	--	4/	--
5/	2 x 0.04; L 2 x 0.004; E 0.02	2/	--	5/	2 x 0.1; L 2 x 0.006; E 0.02
6/	--			6/	--

This document contains proprietary information of Research Electro-Optics, Inc. and may not be reproduced, copied or used in any way, in whole or in part, without the prior written consent of Research Electro-Optics, Inc.

UNLESS OTHERWISE SPECIFIED TOLERANCES IN ACCORDANCE WITH ASME Y14.5-2009



**Research Electro-Optics, Inc.**  
5505 Airport Blvd, Boulder, CO 80301

UNLESS OTHERWISE SPECIFIED DIMENSIONS IN MILLIMETERS

TITLE  
**FS, 12.7MM DIA, 500MM CC/PL, SUB**

THIRD ANGLE PROJECTION



SIZE

**A**

SCALE

**4:1**

DRAWING NUMBER

**D-40661**

REV

**A**

SHEET 1 OF 1